

THE DOW CHEMICAL COMPANY

171 River Road, Piscataway, NJ 08854
Telephone: (732) 563-5586
FAX: (732) 563-6074

457835-00

October 18, 2002

Airborne Express

Document Processing Desk (6(a)(2))
Office of Pesticides Programs (7504C)
Antimicrobials Division
U. S. Environmental Protection Agency
1921 Jefferson Davis Highway
Crystal Mall 2 – Room 266A
Arlington, VA 22202

Subject: **UCARCIDE™ P 200 Antimicrobial, EPA Registration No. 464-713**
ortho-phthalaldehyde - 6(a)(2) Information – Amended Report

Dear Sir/Madam:

Pursuant to Section 6(a)(2) of the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA) as amended, 7 U. S. C. Section 138d(a)(2), The Dow Chemical Company hereby submits the following **amended** report regarding ortho-phthalaldehyde:

45783501 Vol. 1: Miller Nelson Research Inc. (2002). *Glove Permeation Testing with 5.5% Aqueous o-Phthalaldehyde Solution, Amended Report*, ASTM Guideline 739-99A; The Dow Chemical Company and Advanced Sterilization Products, 9 pages.

Seven different types of gloves were tested against an aqueous 5.5% o-phthalaldehyde (OPA) solution to determine which were most resistant to OPA permeation. The results will determine the appropriate gloves to be used by the product manufacturer for handling a 5.5% solution formulation.

This report was amended on page 5 under **Materials and Methods** to clarify the procedures followed.

I trust that you will find this submission to be in good order. Any questions or problems please do not hesitate to call.

Very truly yours,

Maureen Miksztal

Maureen Miksztal
Senior Registration Specialist

Enc. (3)

cc: M. Swindell, PM-33